The Land



MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT
CERTIFICATION FORM

Public Water Supply Name

O250021, 010028, 0250007(Hubbard W.A.)

List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

| Please Answer the Following Questions Regarding the Consumer Confidence Report | |
|---|----------------|
| Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) | |
| Advertisement in local paper On water bills Other | |
| Date customers were informed:/_/ | |
| CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: | |
| Date Mailed/Distributed:/ / | |
| CCR was published in local newspaper (Attack serve C. 11) | |
| Name of Newspaper: Hends County Lagottle Port Libron Reveille | |
| Date Published: 6 1/6/11 | |
| CCR was posted in public places. (Attach list of locations) | |
| Date Posted: / / | |
| CCR was posted on a publicly accessible internet site at the address: www | |
| CERTIFICATION | |
| I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system the form and manner identified above. I further certify that the information included in this CCR is true and correct and Department of Health, Bureau of Public Water Supply. | in is te |
| Name/Title (President, Mayor, Owner, etc.) | |
| Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 | |

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

2010 Annual Drinking Water Quality Report Reedtown Water Association & Hubbard Water Association PWS#: 110028, 250021 & 250007

June 2011

2011 JEL 13 AH 10: 01

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation, Cockfield Formation and Miocene System Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Reedtown Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Wesley Mathes at 601-885-6839. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meetings scheduled for the second Tuesday of the month at 8:00 AM at the Reedtown Water Association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

| PWS #: 01 | 10020 | | | TEST RESUL | | | | |
|--------------|------------------|-------------------|-------------------|---|--------------------------|------|--------|---|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measure -ment | MCLG | MCL | Likely Source of Contamination |
| Inorganic | | | | | | | | |
| 10. Barium | N | 2008* | -003 | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| 13. Chromium | N | 2008* | 2 | No Range | ppb | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| 14. Copper | N | 2009* | .04 | 0 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| 16. Fluoride | N | 2008* | .21 | No Range | ppm | 4 | 4 | Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer and aluminum factories |

| | N | 2009 | 3 | 0 | р | pb | 0 | AL= | 15 Corrector of |
|--|----------------|-------|------|------------------------------|-----|----|-----------|-----|---|
| 21. Selenium | $ \frac{1}{N}$ | 2006* | 1.52 | N 5 | | | _ | 7,5 | Corrosion of household plumbing systems, erosion of natural deposits |
| | | 2000 | 1.52 | No Range | PI | pb | 50 | | 50 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Disinfectio | n Rv | Duodu | 4 | | | | | | |
| | TY | | | 100 400 000 | | | | | |
| 81. HAA5 | Y | 2010 | 123 | 20 – 123 RAA | ppb | T | 0 | 60 | By-Product of drinking water |
| 81. HAA5 32. TTHM | Y | | | | | | 0 | | By-Product of drinking water disinfection, |
| 81. HAA5 82. TTHM Total rihalomethanes] | Y Y | 2010 | 123 | 20 – 123 RAA 83 – 108 RAA | ppb | | 0 | 80 | By-product of drinking water |
| 81. HAA5 B2. TTHM Total | Y | 2010 | 123 | | | | 0 0 0 MDR | 80 | disinfection, |

| Contaminant | Violation | Date | Level | TEST RESU | | | | |
|--|-----------|-----------|----------|--|------------------|------|--------|--|
| 2 Feedly 11 | Y/N | Collected | Detected | Range of Detects of # of Samples Exceeding MCL/ACL | Measure -ment | MCLG | MCL | Likely Source of Contamination |
| Fecal Indicator E.coli at the Source (positive sample) | | June | 1 | NA NA | NA | 0 | 0 | Human and animal fecal waste |
| Inorganic | Contam | inants | | | | | | |
| l0. Barium | N | 2008* | .090 | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; |
| 3. Chromium | N | 2008* | 1.3 | .65 – 1.3 | ppb | 100 | 100 | erosion of natural deposits |
| 4. Copper | N | 2008* | .1 | 0 | ppm | 1.3 | | mills; erosion of natural deposits |
| 6. Fluoride | N | 2008* | .118 | 400 | pp | F. 3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| '. Lead | | | .116 | .109118 | ppm | 4 | 4 | Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer |
| . Lead | N | 2008* | 3 | 0 | ppb | 0 | AL=15 | and aluminum factories Corrosion of household plumbing systems, erosion of natural deposits |
| isinfection | By-Pro | ducts | | | | | | 200000 |
| . TTHM otal alomethanes] | | 07* 4.6 | 6 No | Range ppb | | | 80 By | -product of drinking water orination. |
| lorine | N 20 | 10 .71 | .28 | - 1.32 ppm | , | MDR | | ater additive used to control |

| PWS ID# | 2300 | <u>U / </u> | | TEST | RESULTS | 5 | | |
|----------------------------|------|---|------|-----------|---------|---|----------|--|
| Disinfection | n By | -Produc | ets | | | | | |
| 81. HAA5 | Y | 2010 | 346 | 242-346 | ppb | 0 | 60 | By Broduct of J. 1 |
| 82. TTHM | Y | 2010 | 294 | 242 - 294 | | | 00 | By-Product of drinking water disinfection. |
| [Total trihalomethanes] | | | 1254 | 242 - 294 | ppb | 0 | | By-product of drinking water chlorination. |
| Chlorine | N | 2010 | .96 | .2 – 3.8 | | | | S. S. Marion, |
| | I | | 8- | 1.2 = 3.0 | ppm | 0 | MRDL = 4 | Water additive used to control |

* Most recent sample. No sample required for 2010.

Microbiological Contaminants:

(2) Fecal coliform/E.Coli. Fecal coliforms and E, coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, and people with severely compromised immune systems.

Disinfection By-Products:

(81) Haloacetic Acids (HAA5). Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of cancer (82) Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

On June 15, 2010, our water system # 250021, had an E-coli positive well sample on Well 01. The system was immediately placed on a boil water until the well could be cleared. The source of contamination was determined to be a leaking seal on the well foundation. The seal has been regrouted and the well disinfected. The system is currently on a source water assessment monitoring program with the Mississippi State Department of Health.

Our systems have exceeded the MRDL for TTHM and HAA5. We are currently operating a pilot study for the MSDH in hopes of lowering our very high Disinfection By-Products levels. It will also increase the clarity of the water once the study is complete. We hope to get the full size plant installed & operational within a year.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

Significant Deficiency

<u>During a sanitary survey conducted on 8/24/2010, the Mississippi State Department of Health cited the following significant deficiency:</u>
Inadequate pump capacity

Corrective actions: The system is under a Bilateral Compliance Agreement with the Mississippi State Department of Health to complete construction of a new six inch line to increase capacity at the Newman Booster Station. All Deficiencies are scheduled to be completed by 1/10/2014.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Reedtown & Hubbard Water Associations works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

| STATE OF MISSISSIPI |))) |
|---------------------|---|
| COUNTY OF HINDS |) |
| PERSONALLY CAME | before me, a notary public in and for the State of Mississippi at Large, the CLERK of the HINDS COUNTY GAZETTE, a newspaper published in the City of Raymond, Second Judicial District of Hinds County, in said state, who being duly sworn, deposes and says that the HINDS COUNTY GAZETTE is a newspaper as defined and prescribed in the Mississippi Code of 1972, and the publication of a notice of which the annexed is a copy, in the matter of: 2010 Avenual Overkein Water Guality Report |
| | Has been made in said paper times consecutively, to-wit: On the day of |
| SWORN TO and SUBSO | CRIBED before me, this |
| 16 day of Jane | ,2011 |
| Many agen OF MA | Notary Public Heathor Clerk |
| MARY ANN K | To HINDS COUNTY GAZETTE Dr. |
| Case of COUNT | Š.•* |
| Word space | Weeks Proof Charge \$3.00 - Total \$ |
| RECEIVED OF | |
| | ate |

| O THE REAL PROPERTY OF THE PARTY OF THE PART |
|--|
| |
| |
| Indiana de la companya del companya del companya de la companya de |
| The control of the co |
| |
| |
| The party of the p |
| Charles Constituting (MC). The National Prints (MC) is the Manual Constitution of the Assessment of th |
| proved the briefly Milder (and the province of pages). The second province is the page of |
| |
| |
| PWS # 0110008 TEST RESULTS COMMISSION COM. About Proportion of the State No. About Proportion 100 |
| Secretary Carbonauts |
| |
| No. 2 Con 10 Con |
| |
| 0.00 1 1 1 1 1 1 1 1 1 |
| |
| Distriction By-Products 15.000 |
| STATE OF THE RESIDENCE OF THE PROPERTY OF THE |
| |
| The state of the s |
| PWS 9: 0250011 TEST RESULTS |
| |
| THE PERSON OF TH |
| |
| |
| Compare Combinition |
| Compare Combinition |
| Compare Combinition |
| Compare Combinition |
| Compare Combinition |
| Comment Comm |
| Transport from the first proper from the fir |
| Transport from the first proper from the fir |
| Table Tabl |
| Transport from the control of the co |
| Transport from the first proper from the fir |

AND AND RESIDENCE OF THE PERSON OF THE PERSO

PUBLISHER'S OATH

STATE OF MISSISSIPPI, CLAIBORNE COUNTY, MISSISSIPPI

Personally appeared before the undersigned NOTARY PUBLIG of said County, EMMA F CRISLER, Publisher of The Reveille, a weekly newspaper, printed and published in the town of Post Gibson, in said county and state, who, being duly sworm deposes and says that said newspaper has been established for more than twelve months next prior to first publication mentioned below; and who further makes outh that publication of a notice, of which, the annexed is a copy, has been made in said paper consecutively, to wit:

| On the 16t | h_ day of _Jur | 10 , 201 |
|------------|----------------|----------|
| On the | day of | ., 201 |
| On the | day of | , 201 |
| On the | day of | , 201 |
| 1 21 | | |

And I Publisher

And I

| mater. Our sums recent in Section 2. | Property of the Control of the Contr | | | 1275 |
|--|--|--|--|---|
| | | | | |
| The last one position that he | | | | |
| | | | | DERES. |
| | | | | |
| | | | | |
| | | | | |
| Makes Grander Line (65), of exchant to the Might at health | | - | | Calculation |
| Statement Commercial Law Could Post | OH - In Torsell 1 to | | | |
| To Administration to the control of | Date (Section) - The best of a | | | - |
| | | | han years or a simple power in make, for a simple power in Eve | 70.00 |
| PWS #1 0110028 | DESTRU | BULTS | | |
| | | | | |
| Inorganic Contempos | | 200 | | |
| d Caretan A | 1 -1- | | | |
| | | | - | |
| | | 超量整 | | |
| | | | | |
| | BINE | | | - |
| Distribution By Produ | Co N - 10 ho | | B Director | |
| ES. TITAL Photo Interchalment | 100 H-100 MA | | D Systematics | |
| | a leng deve | | COLOR DE LA COLOR | |
| PW8 6: 0250021 | TEST 9 | ESULTS | Total Contribution | |
| | | | | |
| | THE PERSON NAMED IN | STREET, SQUARE, SQUARE, | | stone had been |
| | | | Lamba | |
| Inorganic Conjuntace | | | | |
| Inorganic Contaminación S. Inorganic Contaminación S. Inorganic Contaminación S. Contaminación Contaminación S. Contaminación Contaminación S. Contaminación | | | | May work to the second |
| Corporate Contamination of the | 30 SE-30 | | | A Display works |
| Inorganic Contaminación S. Inorganic Contaminación S. Inorganic Contaminación S. Contaminación Contaminación S. Contaminación Contaminación S. Contaminación | | | A COURT OF STREET | |
| Inorgania Contestinas Total Salas Total Salas Sa | | | | |
| Inorgania Contambas 2 - | | | A And Salani | |
| A Process of Land | | | | |
| Annual Controllars San | | | | |
| A Distriction By Professional St. Control of St. Co | | ESULTS | | |
| Service Continuous and | | | | |
| Service Servic | March Marc | ESULTS | | |
| Story Controlland Some Some Some Some Some Some Some Some | 10 10 10 10 10 10 10 10 | 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | A TO STATE OF THE PARTY OF THE | |
| Service Communications of the Communications of the Communication of the | A A A A A A A A A A | MESUPAYS | A ACT S STATE OF THE STATE OF T | |
| Section 1 Sectio | 10 10 10 10 10 10 10 10 | ESUZIS | | |
| Service Servic | 1 | ESU3.78 | | |
| STORY ST | 1 | | A CONTROL OF CONTROL O | |
| Section 1 Sectio | 1 | | A CONTROL OF CONTROL O | |
| STORY ST | 1 | | A CONTROL OF CONTROL O | |

Personally appeared before the undersigned NOTARY PUBLIC of said County, BMMA F. CRISLER, Publisher of The Reveille, a week-by newspaper, printed and published in the town of Port Gibson, in said county and state, who, being duly sworn deposes and says that said newspaper has been established for more than twelve months next prior to first publication mentioned below; and who further makes oath that publication of a notice, of which, the annexed is a copy, has been made in said paper consecutively, to wit:

| On the | 16th | day of | June | _, 20 |
|--------|------|--------|------|-------|
| On the | | day of | | 20 |
| On the | | day of | | _, 20 |
| On the | | day of | | ., 20 |

2010 Annual Orniting Weter Quality Report Residicus Water Association & Hobbard Water Association PWSR 10028, 250021 \$ 250007 Annu 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you never day. Our constant goal is to provide you will a safe and dependants supply of drinting water. We want you to understand the afforms wends to conclinally improve the value therefore process and provided our week resources. We are commissed to extend the quality of your water source is from wells describe from the Catalhouts Formation, Cockfield Formation and Miscopies System Applies.

The sociate water assessment has been completed for our public water system to determine the overall association of its driving water supply to identified potential sources of contamination. The general society-fieldly rankings assigned to each wait of this system are provided immediately below. A report containing detailed information on here the assessibility determinations were made has been furnished to our public water system and a smallest for referring upon request. The water for the Rections information have received moderate successfully rankings and contamination.

If you have any questions about this report or concerning your writer utility, please contact Wesley Methes at 601-85-6639. We want our valued to brothers to be informed about their water utility. If you want to learn more, please attend the meetings acheculed for the second Tuesday of the month at 80.04 with the Residence Maker Association of the Second Tuesday of the month at 80.04 with the Residence Maker Association of the Second Tuesday of the month at 80.04 with the Residence Maker Association of the Second Tuesday of the month at 80.04 with the Residence Maker Association of the Second Tuesday of the month at 80.04 with the Residence Maker Association of the Second Tuesday of the Second T

when it is too an in the Readtown Waler Association office.

We exclinely monitor for constituents in your driving water according to Floderal and State issue. This table before lists at of the driving water concentrates the twee detected during the period of alexany if "to become a"!". 2010. In dester when monitoring must insigned in 2010, the table reflects the most record results. As water trained was to the control of fact or underground, it describes naturally occurring inhometic and, in some scales are viouse and before the control of fact or underground, it describes naturally occurring minimals, such as viouse and before the control of the control of fact or underground, it describes an advergence of the control of the cont

In this lable you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Maximum Conteminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contembrant that is allowed in drinking water. MCLs are set as close to the MCLGs as heathle using the best available treatment technology.

. Maxintum Contaminant, Leum, Gnet. (MCLG). The "Gos!" (MCLG) is the level of a contaminant in drinking rester, below which there is no known or expected risk to health. MCLGs allow for a margin of salety.

Attualment Residual Distributions Lawel (AMDL) — The highest level of a distributional planned in drinking water. There is commissing evidence that addition of a distribution is necessary for control introduced contemperature.

Maximum Residual Distributions Level Goal (MROLG) — The level of a drinking water distribution below which there is no known or expected risk of health. MROLGs do not reflect the benefits of the use of distributions to control microbial contembants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single panny in \$10,000,

Parts per billion (aph) or Alicrograms per litter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

| PWS #: 01 | | | | EST RESUL | TS | | in the second | |
|--------------------------|------------------|-------------------|-------------------|---|--------------------------|------|---------------|--|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measure -ment | MCFG | MCL | Likely Source of Contemination |
| Inorganic | Contam | inants | | | | | | |
| 10 Barium | N | 2006 | 003 | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refinaries; arction of natural deposits |
| 13 Chromium 14 Copper | H | 2008* | 2 | No Range | bao | 100 | 100 | |
| 16. Fluorida | | 1009 | .04 | 0') | ₽₽m | 1,3 | AL-1.3 | Corresion of household plumber Ejeterns: erosion of natural deposits: leaching from wood preservatives |
| 16. Fluorios | | 2008* | 21 | No Range | ppm | 1 | • | Ercelon of naturel deposits; was additive which promoles strong leath; discharge from fertilizer and staminum factories. |

| | | | | | | $_{-\perp}$ | _ | and aluminum factories |
|-------------|-----|-------|------|----------|------|-------------|-------|--|
| 17. Lead | H | 2009* | 3 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| 21 Selenium | l N | 2006* | 1.62 | No Range | papo | 60 | | Discharge from petroleum and frotal refineries; erosion of natural deposits; discharge from mines |

| 100000 | 则源 | | | | 50.3 | | 00 | 65 Distance |
|--|-------|----------|---------|--------------|-------|---------|--|--|
| Disinfection | 144 | | 114 500 | | 10000 | STATE ! | How by | motal reference: entires of natural deposits, discharge from mines |
| I HAAS | on By | | cts | 100 | | | | mines decharge fro |
| 62 TTHU | 1 | 2010 | 123 | 20 - 123 RAA | onb | | | |
| (Total trihalomethanes) Chiorine | 14 | 2010 | 108 | 83 - 106 RAA | | 0 | 60 | disinfection |
| | - | 2010 .84 | | we lost | Dbp | 0 | 80 | |
| | N | | 27-1.9 | ppm | | 109 | By-product of drinking water chlorisation. | |
| | | | | | | | MORL = 4 | Water additive used to control |

| PWS # | 1 | Viole | | _ | | | TEST | REST | IT | 0 | | | |
|--------------------------------------|-------|-------|-------|------------------|------|----------------|----------------|---------|------|------|--------|-------------------|---|
| 1 | | Y/N | | Date Oliectes | O. | avel tecled | Range of | Detects | 77 | Unit | MCLG | MC | 1 |
| 2. Fecal Indicator- E coli at the | | N | 120 | June | | | MCUACL. | | NA m | | 1 | 1 | Likely Source of Contamination |
| Source (po sample) | athe | | | | | | | N | T | HA | 0 | 0 | Human and actimal fecal waste |
| Inorgan | | | - | | _ | _ | _ | - | L | | | | and sets said |
| 10. Barion | ie Ci | ontar | nina | nts | | | | | | | | _ | |
| | - 1 | H | 2004 | 8" | .000 | T | No Range | | | | | | |
| 13. Chromium | - | N | 2008 | | | | | | DO | 1 | 2 | 2 | Oscharge of driting wester, |
| 4. Copper | - | | | | 1,3 | T | 65-1.3 | - | ppb | - | 100 | - | Prosion of material references |
| | | | 2008 | | 3 | 0 | | | ppm | - | 13 | 100 | mas: sension at sine) and pulp |
| 6. Fivorida | - N | | 2008* | | | | | - 1 | | - 1 | 1.3 | AL=1.3 | systems of nousehold plumbing |
| | 1 | 1" | | | -118 | | .109118 | | ppm | | -1 | | presentations from wood |
| Lead N | | _ | - | | | | 1 | | 1 1 | - | | 1 | Enceion of natural deposits: water addition which promotes strong teeth; discharge from tertilizer and aluminum factories |
| 00-407 | 1" | - 1 | 2008* | | | 0 | 0 | | ppb | | | - | |
| isinfant | | | 5 | | | | _ | | | 1 | 1 | -10 | Corrosion of household plumbing |
| isinfectio | n By | -Pro | duct | 8 | | | | | | | | | Seposits |
| tal siomethanes1 | N | 200 | 7 | 4.60 | 7 | No Ran | to Range pob | | _ | | | | |
| orine | N | 201 | 0 | .71 | + | 28 - 1.0 | | | | ° | | 50 By-pi chlor | roduct of drinking water |
| | | _ | | | | 14-11 | NE . | PPm | 1 | 0 | MORL . | . 10. 120 | additive used to control |

| PWS ID# | | | | TEST | RESULT | rs | 7 |
|---------------------------------------|------|--------|-----|-----------|--------|---|---|
| Disinfection | n By | -Produ | cts | | | | 1 |
| 2. TTHU | Y | 2010 | 346 | 242-346 | 1.4 | | 7 |
| [Total Inhalomethenes] Chlorine | N | 2010 | 294 | 242 - 294 | Pob | 0 60 By-Product of drinking water | 1 |
| | | 2010 | 96 | 2-38 | 1777 | 60 By-product of drinking water chlorination | 1 |
| - | | _ | | 12-36 | ppm | 0 MRDL = 4 Water additive used to control | 1 |